


REV	DESCRIPTION	ECD #	DFT	CHK	ENG	DATE
-----	-------------	-------	-----	-----	-----	------




SECT. A-A
STACK-UP
(CABLE & CONNECTORS
NOT SHOWN)

SECT. B-B
STACK-UP

J1 PINDUT	
PIN	DESCRIP
5	UR
4	UL
3	SENSE/NC
2	LL
1	LR

J2 PINDUT	
PIN	DESCRIP
8	DRIVE 1
9	SHIELD
10	UR
11	LR
12	UL
	LL

1.4	3	1600138	HEATSHRINK, .75
1	2	7900101	NOVRAM 7"
1	1	57-150FA-002	SENSOR CAP 5W 15.0 DIAG
QTY	ITEM NO	PART NUMBER	DESCRIPTION

FINISHED PART #		NEXT ASSY #	
<p>DO NOT SCALE DRAWING ! UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES. REMOVE ALL BURRS AND BREAK SHARP EDGES. DEC. TOLERANCE: .XX = ±.060 UNO FRAC. TOL. x/x = ±1/16 .XXX = ±.030 UNO ANGULAR TOL. = ±1° .XXXX = ±.015 UNO .XXXXX = ±.008 UNO</p>			
NOTICE OF PROPRIETARY RIGHTS			
THIS DOCUMENT, AND THE INFORMATION IT CONTAINS, IS PROPRIETARY TO TOUCH INTERNATIONAL. IT MUST NOT BE DUPLICATED, OR ITS CONTENTS USED OR DISCLOSED (IN WHOLE OR IN PART) WITHOUT WRITTEN PERMISSION FROM TOUCH INTERNATIONAL.		TOUCH INTERNATIONAL 2222 West Rundberg Ln #100 Austin, Texas 78758 512-832-8292	
DRAWN DATE R. Johnson 5/04		TITLE: SENSOR CAP 5W 15.0 DIAG W/ NVRM	
SCALE: NTS	SIZE A	DWG. NO. 57-150FA-002-1	REV. 2.0
SHEET 1 OF 1			

- NOTES:
- TOTAL THICKNESS: .128 [3.25] ±10%
 - FLEXTAIL: DO NOT BEND TO LESS THAN 1/8" RADIUS
 - LABEL: SERIAL NUMBER & PART NUMBER / REV. (FAR SIDE OF TAIL)
 - CONNECTOR(J1): 5 POS, .10 PITCH, LATCH, AMP 487526-4
 - VLT @83% OR GREATER
 - OPERATING TEMP: -20°C TO +70°C, 5% TO 90% RH
 - STORAGE TEMP: -50°C TO +85°C, <35% RH